*Brain Research*, 397 (1986) 409–411
Elsevier



# Author Index

Adams, C.E., Cepeda, C., Boylan, M.K., Fisher, R.S., Hull, C.D., Buchwald, N.A., Wainer, B.H. and Levine, M.S., Basal forebrain neurons have axon collaterals that project to widely divergent cortical areas in the cat, 365
Ågren, H., Koulu, M., Saavedra, J.M., Potter, W.Z. and Linnoila, M., Circadian covariation of norepinephrine and serotonin in the locus coeruleus and dorsal raphe nucleus in the rat, 353
Alonso, G., Szafarczyk, A., Balmefrézol, M. and Assenmacher, I., Immunocytochemical evidence for stimulatory control by the ventral noradrenergic bundle of parvocellular neurons of the paraventricular nucleus secreting corticotropin releasing hormone and vasopressin in rats, 297
Arvidsson, J. and Ygge, J., A quantitative study of the effects of neonatal capsaicin treatment and of subsequent peripheral nerve transection in the adult rat, 130
Assenmacher, I., see Alonso, G., 297
Astier, B., Kitahama, K., Denoroy, L., Berod, A., Jouvet, M. and Renaud, B., Biochemical evidence for an interaction between adrenaline and noradrenaline neurons in the rat brainstem, 333
Auszmann, J.M., see Kreider, B.Q., 238

Babb, T.L., see Finch, D.M., 205
Balmefrézol, M., see Alonso, G., 297
Battaglia, G., see De Souza, E.B., 401
Beal, M.F., Mazurek, M.F. and Martin, J.B., Somatostatin immunoreactivity is reduced in Parkinson's disease dementia with Alzheimer's changes, 386
Beinfeld, M.C., see Martin, J.R., 253
Berod, A., see Astier, B., 333
Berrebi, A., see Denenberg, V.H., 327
Blaha, C.D., see Lane, R.F., 200
Bloedel, J.R., see McElligott, J.G., 245
Boakes, R.J. and Court, J.A., Failure of carbachol to influence the release of somatostatin from slices of rat cerebral cortex, 197
Bolam, J.P., Ingham, C.A., Izzo, P.N., Levey, A.I., Rye, D.B., Smith, A.D. and Wainer, B.H., Substance P-containing terminals in synaptic contact with cholinergic neurons in the neostriatum and basal forebrain: a double immunocytochemical study in the rat, 279
Boylan, M.K., see Adams, C.E., 365
Brosnan, C.F., see Goldmuntz, E.A., 16
Brosnihan, K.B., see Schiavone, M.T., 193
Broton, J.G. and Rosenfeld, J.P., Cutting rostral trigeminal nuclear complex projections preferentially affects perioral nociception in the rat, 1
Buchwald, N.A., see Adams, C.E., 365
Buchwald, N.A., see Fisher, R.S., 173
Buchwald, N.A., see Gazzara, R.A., 225
Buchweitz, E. and Weiss, H.R., Effect of withdrawal from chronic naltrexone on regional cerebral oxygen consumption in the cat, 308

Cepeda, C., see Adams, C.E., 365
Chen, I.-L., see Weber, J.T., 389
Chiu, F.-C., see Goldmuntz, E.A., 16
Chudler, E.H., Dong, W.K. and Kawakami, Y., Cortical nociceptive responses and behavioral correlates in the monkey, 47
Colle, L.M., Holmes, L.J. and Pappius, H.M., Correlation between behavioral status and cerebral glucose utilization in rats following freezing lesion, 27
Corboy, J., see Kreider, B.Q., 238
Court, J.A., see Boakes, R.J., 197
Csiszar, E., see Wasterlain, C.G., 345

Delorme, E.M. and McGee, R., Jr., Regulation of voltage-dependent $Ca^{2+}$ channels of neuronal cells by chronic changes in membrane potential, 189
Demarest, K.T., see Stein, R.D., 145
Denenberg, V.H., Gall, J.S., Berrebi, A. and Yutzey, D.A., Callosal mediation of cortical inhibition in the lateralized rat brain, 327
Denoroy, L., see Astier, B., 333
Derian, E.L., see Finch, D.M., 205
DeSalvo, S., see Kreider, B.Q., 238
De Souza, E.B. and Battaglia, G., Increased corticotropin-releasing factor receptors in rat cerebral cortex following chronic atropine treatment, 401
Dietrichs, E., see Walberg, F., 73
Dong, W.K., see Chudler, E.H., 47
Drews, U., see Schleicher, G., 290
Dwyer, B.E., see Fujikawa, D.G., 61

Ebner, T.J., see McElligott, J.G., 245
Edinburgh, K.J., see Kreider, B.Q., 238

Fairchild, M.D., see Wasterlain, C.G., 345
Ferrario, C.M., see Schiavone, M.T., 193
Ferrendelli, J.A., see Mirski, M.A., 377
Fields, H.L., see Moreau, J.-L., 37
Finch, D.M., Wong, E.E., Derian, E.L. and Babb, T.L., Neurophysiology of limbic system pathways in the rat: projections from the subicular complex and hippocampus to the entorhinal cortex, 205
Fisher, R.S., Buchwald, N.A., Hull, C.D. and Levine, M.S., Neurons of origin of striatonigral axons in the cat: connectivity and Golgi markers of somatodendritic architecture, 173
Fisher, R.S., see Adams, C.E., 365
Fisher, R.S., see Gazzara, R.A., 225
Fujikawa, D.G., Dwyer, B.E. and Wasterlain, C.G., Preferential blood flow to brainstem during generalized seizures in the newborn marmoset monkey, 61

Gall, J.S., see Denenberg, V.H., 327
Gazzara, R.A., Fisher, R.S., Levine, M.S., Hull, C.D. and Buchwald, N.A., Physiological and morphological analysis of ventral anterior and ventral lateral thalamic neurons in the cat, 225
Genovesi, S., see Stein, R.D., 145
Gimenez, C., see Zafra, F., 108
Goldmuntz, E.A., Brosnan, C.F., Chiu, F.-C. and Norton,

W.T., Astrocytic reactivity and intermediate filament metabolism in experimental autoimmune encephalomyelitis: the effect of suppression with prazosin, 16
Goto, S., Matsukado, Y., Mihara, Y., Inoue, N. and Miyamoto, E., The distribution of calcineurin in rat brain by light and electron microscopic immunohistochemistry and enzyme-immunoassay, 161
Gustavsson, P., see Schouenborg, J., 86

Hirata, Y., Sugimura, H., Takei, H. and Nagatsu, T., The effects of pyridinium salts, structurally related compounds of 1-methyl-4-phenylpyridinium ion ($MPP^+$), on tyrosine hydroxylation in rat striatal tissue slices, 341
Holmes, L.J., see Colle, L.M., 27
Horie, H., see Kawasaki, Y., 185
Hull, C.D., see Adams, C.E., 365
Hull, C.D., see Fisher, R.S., 173
Hull, C.D., see Gazzara, R.A., 225
Husain, A., see Schiavone, M.T., 193
Hutchins, B., see Weber, J.T., 389

Ichikawa, T., Color and spatial antagonism in the visual system of the larval swallowtail butterfly, 381
Ikeda, H., see Tansey, E.M., 9
Ingham, C.A., see Bolam, J.P., 279
Inoue, N., see Goto, S., 161
Iversen, S.D., see Mucha, R.F., 214
Izzo, P.N., see Bolam, J.P., 279

Jouvet, M., see Astier, B., 333

Kalliomäki, J., see Schouenborg, J., 86
Kamo, H., Kim, S.U., McGeer, P.L. and Shin, D.H., Functional recovery in a rat model of Parkinson's disease following transplantation of cultured human sympathetic neurons, 372
Kawakami, Y., see Chudler, E.H., 47
Kawasaki, Y., Horie, H. and Takenaka, T., The maturation-dependent change in fibronectin receptor density of mouse dorsal root ganglion neurons, 185
Kim, S.U., see Kamo, H., 372
Kiss, A., see Pincus, J.H., 103
Kitahama, K., see Astier, B., 333
Kolb, B., see Whishaw, I.Q., and Van der Kooy, D., Brain development in the neonatally decorticated rat, 315
Kopp, N., see Michel, J.-P., 93
Koulu, M., see Ågren, H., 353
Kreider, B.Q., Corboy, J., Preston, S.L., Auszmann, J.M., DeSalvo, S., Smith, T.M., Lieb, M., Edinburgh, K.J., Pleasure, D. and McMorris, F.A., Characterization of rat schwannoma-Schwann cell hybrids, 238

Lane, R.F., Blaha, C.D. and Phillips, A.G., In vivo electrochemical analysis of cholecystokinin-induced inhibition of dopamine release in the nucleus accumbens, 200
Le Moal, M., see Louilot, A., 395
Levey, A.I., see Bolam, J.P., 279
Levine, M.S., see Adams, C.E., 365
Levine, M.S., see Fisher, R.S., 173
Levine, M.S., see Gazzara, R.A.,225
Lieb, M., see Kreidler, B.Q., 238
Linnoila, M., see Ågren, H., 353
Louilot, A., Le Moal, M. and Simon, H., Differential reactivity of dopaminergic neurons in the nucleus accumbens in response to different behavioral situations. An in vivo voltammetric study in free moving rats, 395

MacKenzie, E., see Motohashi, N., 265
Marek, P., see Panocka, I., 152
Marek, P., see Panocka, I., 156
Martin, J.B., see Beal, M.F., 386
Martin, J.R., Beinfeld, M.C. and Wang, R.Y., Modulation of cholecystokinin release from posterior nucleus accumbens by D-2 dopamine receptor, 253
Matsukado, Y., see Goto, S., 161
Mazurek, M.F., see Beal, M.F., 386
McElligott, J.G., Ebner, T.J. and Bloedel, J.R., Reduction of cerebellar norepinephrine alters climbing fiber enhancement of mossy fiber input to the Purkinje cell, 245
McGee, R., Jr., see Delorme, E.M., 189
McGeer, P.L., see Kamo, H., 372
McKeon, A.C., see Mirski, M.A., 377
McMorris, F.A., see Kreider, B.Q., 238
Michel, J.-P., Sakamoto, N., Kopp, N. and Pearson, J., Neurotensin immunoreactive structures in the human infant striatum, septum, amygdala and cerebral cortex, 93
Mihara, Y., see Goto, S., 161
Mirski, M.A., McKeon, A.C. and Ferrendelli, J.A., Anterior thalamus and substantia nigra: two distinct structures mediating experimental generalized seizures, 377
Miyamoto, E., see Goto, S., 161
Moreau, J.-L. and Fields, H.L., Evidence for GABA involvement in midbrain control of medullary neurons that modulate nociceptive transmission, 37
Morin, A.M., Ro 15-1788 suppresses the development of kindling through the benzodiazepine receptor, 259
Morin, J.K., see Schleicher, G., 290
Motohashi, N., MacKenzie, E.T. and Scatton, B., Functional mapping of the effects of lesions of the habenular nuclei and their afferents in the rat, 265
Mucha, R.F. and Iversen, S.D., Increased food intake after opioid microinjections into nucleus accumbens and ventral tegmental area of rat, 214

Nagatsu, T., see Hirata, Y., 341
Norton, W.T., see Goldmuntz, E.A., 16

Ogita, K. and Yoneda, Y., Characterization of $Na^+$-dependent binding sites of [$^3$H]glutamate in synaptic membranes from rat brain, 137
Orchard, I. and Shivers, R., Electrical coupling and gap junctions between neurosecretory cells in an insect, 359

Panocka, I., Marek, P. and Sadowski, B., Inheritance of stress-induced analgesia in mice. Selective breeding study, 152
Panocka, I., Marek, P. and Sadowski, B., Differentiation of neurochemical basis of stress-induced analgesia in mice by selective breeding, 156
Pappius, H.M., see Colle, L.M., 27
Pearson, J., see Michel, J.-P., 93
Phillips, A.G., see Lane, R.F., 200
Pincus, J.H. and Kiss, A., Phenytoin reduces early acetylcholine release after depolarization, 103
Pleasure, D., see Kreider, B.Q., 238
Potter, W.Z., see Ågren, H., 353
Preston, S.L., see Kreider, B.Q., 238

Renaud, B., see Astier, B., 333
Rey, D.B., see Bolam, J.P., 279

Robinson, S.E., 6-Hydroxydopamine lesion of the ventral noradrenergic bundle blocks the effect of amphetamine on hippocampal acetylcholine, 181
Rosén, I., see Schouenborg, J., 86
Rosenfeld, J.P., see Broton, J.G., 1

Saavedra, J.M., see Ågren, H., 353
Sadowski, B., see Panocka, I., 152
Sadowski, B., see Panocka, I., 156
Sakamoto, N., see Michel, J.-P., 93
Scatton, B., see Motohashi, N., 265
Schiavone, M.T., Brosnihan, K.B., Husain, A. and Ferrario, C.M., Basal and potassium-evoked release of agiotensin II from the rat hypothalamus, 193
Schleicher, G., Stumpf, W.E., Morin, J.K. and Drews, U., Sites or aromatization of [$^3$H]testosterone in forebrain of male, female and androgen receptor-deficient Tfm mice: an autoradiographic study, 290
Schouenborg, J., Kalliomäki, J., Gustavsson, P. and Rosén, I., Field potentials evoked in rat primary somatosensory cortex (SI) by impulses in cutaneous A$\beta$- and C-fibres, 86
Shin, D.H., see Kamo, H., 372
Shivers, R., see Orchard, I., 359
Sicard, G., Electrophysiological recordings from olfactory receptor cells in adult mice, 405
Simon, H., see Louilot, A., 395
Smith, A.D., see Bolam, J.P., 279
Smith, T.M., see Kreider, B.Q., 238
Sripanidkulchai, K. and Wyss, J.M., Two rapid methods of counterstaining fluorescent dye tracer containing sections without reducing the fluorescence, 117
Stein, R.D., Genovesi, S., Demarest, K.T. and Weaver, L.C., Capsaicin treatment attenuates the reflex excitation of sympathetic activity caused by chemical stimulation of intestinal afferent nerves, 145
Stumpf, W.E., see Schleicher, G., 290
Sugimura, H., see Hirata, Y., 341
Szafarczyk, A., see Alonso, G., 297

Takei, H., see Hirata, Y., 341
Takenaka, T., see Kawasaki, Y., 185
Tansey, E.M. and Ikeda, H., The relationship between axonal transport of protein and demyelination in the optic nerves of mice infected with Semliki Forest Virus, 9

Van der Kooy, D., see Kolb, B., 315

Wainer, B.H., see Adams, C.E., 365
Wainer, B.H., see Bolam, J.P., 279
Walberg, F. and Dietrichs, E., Is there a reciprocal connection between the red nucleus and the interposed cerebellar nuclei? Conclusions based on observations of anterograde and retrograde transport of peroxidase-labelled lectin in the same animal, 73
Wang, R.Y., see Martin, J.R., 253
Wasterlain, C.G., Csiszar, E. and Fairchild, M.D., Habituation of the local cyclic GMP response during amygdaloid carbachol kindling in the rat, 345
Wasterlain, C.G., see Fujikawa, D.G., 61
Weaver, L.C., see Stein, R.D., 145
Weber, J.T., Chen, I.-L. and Hutchins, B., The pretectal complex of the cat: cells of origin of projections to the pulvinar nucleus, 389
Weiss, H.R., see Buchweitz, E., 308
Whishaw, I.Q., see Kolb, B., 315
Wong, E.E., see Finch, D.M., 205
Wyss, J.M., see Sripanidkulchai, K., 117

Ygge, J., see Arvidsson, J., 130
Yoneda, Y., see Ogita, K., 137
Yutzey, D.A., see Denenberg, V.H., 327

Zafra, F. and Gimenez, C., Characterization of glycine uptake in plasma membrane vesicles isolated from cultured glioblastoma cells, 108